

SAFETY DATA SHEET

Safety Data Sheet in accordance with UN GHS Purple Book

CAP - SDS - PE - 006 - UI2420 (Rev.00) ISSUED DATE: 09 Jan 2015

SECTION-1. IDENTIFICATION

Product/Material : Linear Low Density Polyethylene Resin Injection Grade

Product grade : ASRENE UI2420

Application : Houseware, Lids, Powder coating, Toys, Bottle closures, Masterbatch, etc.

Manufacturer : PT. CHANDRA ASRI PETROCHEMICAL Tbk (CAP)

Head Office : Wisma Barito Pacific, Tower A, 7th floor, Jl. Letjend S. Parman, Kav.62-63.

Jakarta 11410, Indonesia.

Plant : Jl Raya Anyer Km.123, Ciwandan, Cilegon 42447, Indonesia. Phone: 62-254-601501 Emergency contact (24 hrs) : GROUPSHEDIVISION@capcx.com, Phone: +62-254-601829; 254-601501 Ext 1232

Additional Information : GROUPRND@capcx.com, Phone: +62-254-601501 Ext 1869, 1616

SECTION-2. HAZARD IDENTIFICATION

Hazardous Component : None

Hazard statements : Avoid contact with molten material

Pictogram (Hazard Symbols) :



H272 Oxidizing Solids



H228 Flammable Solids

SECTION-3. COMPOSITION / INFORMATION ON INGREDIENTS

 $\label{eq:Chemical Name / Family Name : Polyethylene / Polyolefin Chemical Formula: $(C_2H_4)_n$ }$

Common Name, Trade Name : LLDPE CAS No: 9002-88-4

NO.COMPOSITIONPERCENT1Linear Low Density Polyethylene≥ 992Minor Additives< 1</td>

SECTION-4. FIRST-AID MEASURES

The Health effects below are based upon component health effects consistent with requirement under OSHA hazard communication (29 CFR 1910.1200).

First-Aid Step

Inhalation : Product fines may cause mechanical irritation

Skin Contact : Product is unlikely to cause irritation at room temperature

Eye Contact : Product fines may cause mechanical irritation

Ingestion : Product is practically non-toxic

Sign and Symptoms : Irritation as noted above

Aggravated Medical Condition: Preexisting eye and respiratory disorder may be aggravated by exposure to product

fines

SECTION-5. FIRE-FIGHTING MEASURES

: Use water fog, foam, dry chemical or CO₂. Extinguishing Media

Unusual Fire and Explosion: Treat as a solid that can burn, molded parts generally burn slowly with a low smoke

density and flaming drips under certain conditions can burn with a high smoke Hazard

density

Precaution

Fire Fighting Procedures and : Material will not burn unless preheated. Do not enter confined fire space without full bunker gear (helmet with face shield, bunker coats, gloves and rubber boots) including a positive pressure NIOSH approved self-contained breathing apparatus. Cool fire exposed containers with water.

Protective Clothing for Fire

Fighter

PROTECTIVE CLOTHING (PICTOGRAM)





Hand gloves

Goggles

SECTION-6. ACCIDENTAL RELEASE MEASURES

Small Spill and Leak : Pellets on the floor could present a serious slipping problem. Exercise good

housekeeping to avoid this hazard. Sweep, shovel or vacuum material into clean

containers.

Large Spill and Leak : Use a shovel to put the material into a convenient waste disposal container does

not allow any potentially contaminated water with pellets to entry any waterway,

sewer or drain.

SECTION-7. HANDLING AND STORAGE

Personal Precautionary : Avoid contact with molten material

Measures

Handling : Maintain good housekeeping. Keep away from heat, sparks, open flame or any

> ignition source. Use with adequate ventilation. After handling, always wash hands thoroughly with soap and water. Spilled pellet may create a slipping hazard. Electrostatic charge may build up during handling. Grounding of equipment is

recommended.

: Store in a dry place with adequate ventilation and away from direct sunlight, Storage

excessive heat and strong oxidizers. Keep packaging (container) closed to prevent

contamination

SECTION-8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters : Although general room ventilation should be adequate in most applications, local

exhaust ventilation is recommended for control of airborne dust, fumes and vapors,

particularly in confined areas.

Respiratory Protection : Use NIOSH approved respirator if unable to control airborne dust, fumes and vapors.

Eye Protection : Wear eye protection (safety glasses, goggles, face-shield) when processing.

Skin and Body Protection : Wear chemical-resistant gloves, heat protective gloves and protective clothing as

well as a face-shield.

Other Personal Protection : Use safety non-slip shoes in area where spills or leaks occur.

SECTION-9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance and Odor : 3mm ø Solid, Whitish in color and essentially odorless pellet

Not applicable

Organoleptic : Tasteless

Melting Point / freezing Point : 105 – 125°C / Not applicable

Initial Boiling Point : Not applicable

Flash Point : Not applicable, Combustible solid

Evaporation Rate (n-Butyl

Acetate = 1)

Specific Gravity (H₂O=1) : <1.0

Solubility (in water) : Insoluble

Viscosity : Solid, not applicable

Melt Index₁₉₀° $_{\text{C/2.16kg}}$: 20.0 gr/10min Density : 0.924 gr/cm³

SECTION-10. STABILITY AND REACTIVITY

Stability : Stable under normal operating conditions of storage, handling and use.

Hazardous Reaction : Not likely to occur under normal operating conditions of storage, handling and use

Conditions to Avoid : Strong oxidizing agents. Temperature over 300°C, sparks and open flame.

Hazardous Decomposition

Products

: Thermal decomposition products are highly dependent on the combustion conditions. A complex mixture of airborne solid. Liquid particulates and gases will evolve when this material undergoes pyrolysis or combustion. Carbon monoxide

and unidentified organic compounds may be formed upon combustion

SECTION-11. TOXICOLOGICAL INFORMATION

Symptoms related to

toxicological characteristic

: Material is considered essentially inert, non-toxic and practically not harmful as well as not hazardous substances under RoHS regulation. Exposures to high levels of

dust or heated fumes may cause irritation.

Carcinogenicity : Material is not carcinogenic as listed by OSHA, NTP or IARC

SECTION-12. ECOLOGICAL INFORMATION

Ecotoxicity : Material is not expected to be harmful to aquatic organisms

Environmental Fate : Material is not volatile, insoluble in water, and resistant to biodegradation

Mobility : The product has low soil mobility. This material floats on water.

SECTION-13. DISPOSAL CONSIDERATIONS

Waste Disposal : Place in an appropriate disposal facility in compliance with local regulations

SECTION-14. TRANSPORT INFORMATION

Transportation Classification : Not controlled under DOT (USA), TDG (Canada), ADR (Europe), IMDG and IATA

SECTION-15. REGULATORY INFORMATION

The components of this product are listed on the EPA/TSCA inventory of chemical substances.

HCS Classification : This product is not a "Hazardous Chemical" as defined by the OSHA Hazard

Communication

SECTION-16. OTHER INFORMATION

NFPA Code	Health-0	Poses no health hazard, no precautions necessary and would offer no hazard beyond that of ordinary combustible materials.
	Flammability-1	Materials that require considerable preheating, under all ambient temperature conditions, before ignition and combustion can occur.
	Reactivity-0	Normally stable, even under fire exposure conditions, and is not reactive with water.

Abbreviations that may have been used in this document:

ACGIH: AMERICAN CONFERENCE of GOVERNMENTAL INDUSTRIAL HYGIENISTS

DOT: DEPARTMENT OF TRANSPORTATION

NIOSH: NATIONAL INSTITUTE for OCCUPATIONAL SAFETY & HEALTH

OSHA: OCCUPATIONAL SAFETY & HEALTH ADMINISTRATION

RoHS: RESTRICTION of HAZARDOUS SUBSTANCES

NTP: NATIONAL TOXICOLOGY PROGRAM

IART: INTERNATIONAL ASSOCIATION OF RESPIRATORY THERAPISTS

HCS: HAZARD COMMUNICATION STANDARD

LDK : LEMBAR DATA KESELAMATAN

EEC : EUROPE ECONOMIC COMMITTE

THE INFORMATION EXPRESSED HEREIN IS THOSE OF QUALIFIED CURRENT KNOWLEDGE AND EXPERIENCE ANT THAT THE INFORMATION IS SUFFICIENT OF ALL CASES. USERS SHOULD CONSIDER THE DATA AS A SUPPLEMENT TO OTHER INFORMATION AND SHOULD MAKE INDEPENDENT DETERMINATION OF ITS SUITABILITY, THEIR EMPLOYEES AND CUSTOMERS AND OF THE ENVIRONMENTAL PROTECTION TO ASSURE PROPER USE AND DISPOSAL OF THE MATERIAL. RESPONSIBILITY FOR USAGE, STORAGE, HANDLING AND DISPOSAL OF THE PRODUCTS DESCRIBED HEREIN, WHETHER ALONE, OR IN COMBINATION WITH ANY OTHER SUBSTANCE, IS THAT OF THE PURCHASER AND/OR END-USER. CAP MAKES NO WARRANTY, EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULT TO BE OBTAINED FROM THE USE THEREOF. CAP ASSUMES NO RESPONSIBILITY FOR INJURY FROM THE USE OF THE PRODUCT DESCRIBED HEREIN.